

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Poor Low content of organic matter Too clayey Too acid	0.00 0.00 0.12	Poor Depth to saturated zone Shrink-swell	0.00 0.91	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.00 0.88
Bm: Bibb-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.88 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Rock fragments Too acid	0.00 0.12 0.59
Ek: Elkton-----	50	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
Elkton-----	50	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
Em: Elkton-----	50	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59
Elkton-----	50	Fair Too acid Low content of organic matter Too clayey Water erosion	0.12 0.12 0.32 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.99	Poor Depth to saturated zone Too Clayey Too acid	0.00 0.19 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fallsington-----	50	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.71
Fallsington-----	50	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.71
Fs: Fallsington-----	50	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.71
Fallsington-----	50	Fair Too acid Low content of organic matter	0.12 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid Hard to reclaim	0.00 0.59 0.71
GaA: Galestown-----	95	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	0.00 0.59
GaB: Galestown-----	95	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	0.00 0.59
GaC: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaD: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Slope Too acid	0.00 0.16 0.59
GaE: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Fair Slope	0.08	Poor Slope Too sandy Too acid	0.00 0.00 0.59
GaF: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Poor Slope	0.00	Poor Slope Too sandy Too acid	0.00 0.00 0.59
GsA: Galestown-----	95	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	0.00 0.59
GsB: Galestown-----	95	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	0.00 0.59
GsC: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Too acid	0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GsD: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Good		Poor Too sandy Slope Too acid	0.00 0.16 0.59
GsE: Galestown-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.25	Fair Slope	0.08	Poor Slope Too sandy Too acid	0.00 0.00 0.59
Jo: Johnston-----	100	Fair Too acid	0.32	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.88
KsA: Klej-----	95	Poor Wind erosion Too sandy Too acid	0.00 0.00 0.12	Fair Depth to saturated zone	0.14	Poor Too sandy Depth to saturated zone Too acid	0.00 0.14 0.59
KsB: Klej-----	95	Poor Wind erosion Too sandy Too acid	0.00 0.00 0.12	Fair Depth to saturated zone	0.14	Poor Too sandy Depth to saturated zone Too acid	0.00 0.14 0.59
LaA: Lakeland-----	100	Poor Wind erosion Too acid Too sandy Low content of organic matter	0.00 0.03 0.10 0.88	Good		Fair Too sandy Too acid	0.10 0.32
LaB: Lakeland-----	100	Poor Wind erosion Too acid Too sandy Low content of organic matter	0.00 0.03 0.10 0.88	Good		Fair Too sandy Too acid	0.10 0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LaC: Lakeland-----	100	Poor Wind erosion Too acid Too sandy Low content of organic matter	0.00 0.03 0.10 0.88	Good		Fair Too sandy Too acid	0.10 0.32
LcC: Lakeland-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter	0.00 0.00 0.03 0.88	Good		Poor Too sandy Too acid	0.00 0.32
Ma: Madeland-----	95	Not rated		Not rated		Not rated	
MkA: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid	0.59
MkB2: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Good		Fair Too acid Hard to reclaim	0.59 0.84
MkE: Matapeake-----	100	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.68	Fair Slope	0.08	Poor Slope Too acid Hard to reclaim	0.00 0.59 0.84
MsA: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76
MsB2: Mattapex-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Depth to saturated zone	0.76	Fair Too acid Depth to saturated zone	0.59 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MsE: Mattapex-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Fair Slope Depth to saturated zone	0.08 0.76	Poor Slope Too acid Depth to saturated zone	0.00 0.59 0.76
Mt: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
Mu: Muck-----	100	Not rated		Not rated		Not rated	
Oh: Othello-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Pm: Plummer-----	100	Poor Too sandy Wind erosion Too acid	0.00 0.00 0.12	Poor Depth to saturated zone	0.00	Poor Too sandy Depth to saturated zone Too acid	0.00 0.00 0.59
Po: Pocomoke-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Ps: Pocomoke-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
Pt: Portsmouth-----	100	Poor Low content of organic matter Too acid	0.00 0.12	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
SaA: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaB2: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
ShA: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SmA: Sassafras-----	95	Poor Wind erosion Too sandy Too acid	0.00 0.02 0.12	Good		Fair Too sandy Too acid	0.02 0.59
SmB: Sassafras-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
SmB2: Sassafras-----	95	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
SmC: Sassafras-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
SmC2: Sassafras-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SmC3: Sassafras-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Good		Poor Too sandy Too acid Rock fragments	0.00 0.59 0.97
SmD: Sassafras-----	100	Poor Too sandy Wind erosion Too acid Low content of organic matter Droughty	0.00 0.00 0.12 0.12 0.75	Good		Poor Too sandy Slope Too acid Rock fragments	0.00 0.16 0.59 0.97
SmE: Sassafras-----	100	Poor Wind erosion Low content of organic matter Too acid Droughty	0.00 0.00 0.12 0.97	Fair Slope	0.08	Poor Slope Too acid Hard to reclaim Rock fragments	0.00 0.76 0.82 0.97
SnA: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SnB: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SnB2: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SnB3: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnC: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SnC2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SnC3: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
SnD: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SnD2: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Slope Too acid	0.16 0.59
SnE: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Fair Slope	0.08	Poor Slope Too acid	0.00 0.59
SnF: Sassafras-----	100	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Poor Slope	0.00	Poor Slope Too acid	0.00 0.59
SsA: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SsB: Sassafras-----	95	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Too acid	0.59
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WdA: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WdB2: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WoA: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WoB: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoB2: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91
WoC: Woodstown-----	95	Fair Too acid Low content of organic matter	0.12 0.12	Fair Depth to saturated zone	0.91	Fair Too acid Rock fragments Depth to saturated zone	0.59 0.88 0.91

